

## PROMIS SEARCH STRATEGIES

<i>PROMIS search – MEDLINE</i> .....	1
<i>PROMIS search – Embase</i> .....	7
<i>PROMIS search – CINAHL</i> .....	12

## PROMIS SEARCH – MEDLINE

**19 March 2024**

**N=1993**

Database: Ovid MEDLINE: Epub Ahead of Print, In-Process & Other Non-Indexed Citations, Ovid MEDLINE<sup>®</sup> Daily and Ovid MEDLINE<sup>®</sup> <1946-Present>

Search Strategy:

- 
- 1 instrumentation.fs. (688926)
  - 2 Validation Studies.pt. (0)
  - 3 "Reproducibility of Results"/ (473165)
  - 4 reproducib\$.ab,ti. (196916)
  - 5 Psychometrics/ (90689)
  - 6 psychometr\$.ab,ti. (63693)
  - 7 clinimetr\$.ab,ti. (1460)
  - 8 clinometr\$.ab,ti. (54)
  - 9 Observer Variation/ (45180)
  - 10 observer variation.ab,ti. (1217)
  - 11 Discriminant Analysis/ (12055)
  - 12 reliab\$.ab,ti. (632639)
  - 13 valid\$.ab,ti. (1061297)
  - 14 coefficient.ab,ti. (285497)
  - 15 "internal consistency".ab,ti. (40944)
  - 16 (cronbach\$ and (alpha or alphas)).ab,ti. (33704)

- 17 "item correlation".ab,ti. (495)
- 18 "item correlations".ab,ti. (542)
- 19 "item selection".ab,ti. (779)
- 20 "item selections".ab,ti. (22)
- 21 "item reduction".ab,ti. (918)
- 22 "item reductions".ab,ti. (6)
- 23 agreement.tw. (332461)
- 24 precision.tw. (193216)
- 25 imprecision.tw. (8034)
- 26 "precise values".tw. (331)
- 27 test-retest.ti,ab. (34563)
- 28 (test and retest).ti,ab. (36164)
- 29 (reliab\$ and (test or retest)).ti,ab. (119275)
- 30 stability.ab,ti. (596190)
- 31 interrater.ab,ti. (11338)
- 32 inter-rater.ab,ti. (14265)
- 33 intrarater.ab,ti. (3151)
- 34 intra-rater.ab,ti. (3648)
- 35 intertester.ab,ti. (334)
- 36 inter-tester.ab,ti. (209)
- 37 intratester.ab,ti. (259)
- 38 intra-tester.ab,ti. (157)
- 39 interobserver.ab,ti. (22242)
- 40 inter-observer.ab,ti. (9738)
- 41 intraobserver.ab,ti. (8244)
- 42 intra-observer.ab,ti. (5145)
- 43 intertechnician.ab,ti. (6)
- 44 inter-technician.ab,ti. (18)
- 45 intratechnician.ab,ti. (2)
- 46 intra-technician.ab,ti. (4)
- 47 interexaminer.ab,ti. (935)

- 48 inter-examiner.ab,ti. (1029)
- 49 intraexaminer.ab,ti. (511)
- 50 intra-examiner.ab,ti. (753)
- 51 interassay.ab,ti. (3159)
- 52 inter-assay.ab,ti. (5232)
- 53 intraassay.ab,ti. (850)
- 54 intra-assay.ab,ti. (4232)
- 55 interindividual.ab,ti. (19168)
- 56 inter-individual.ab,ti. (13877)
- 57 intraindividual.ab,ti. (6528)
- 58 intra-individual.ab,ti. (6301)
- 59 interparticipant.ab,ti. (49)
- 60 inter-participant.ab,ti. (106)
- 61 intraparticipant.ab,ti. (34)
- 62 intra-participant.ab,ti. (65)
- 63 kappa.ab,ti. (117006)
- 64 kappa's.ab,ti. (1226)
- 65 kappas.ab,ti. (1226)
- 66 "coefficient of variation".ab,ti. (28491)
- 67 repeatab\$.tw. (46999)
- 68 ((replicab\$ or repeated) and (measure or measures or findings or result or results or test or tests)).tw. (244705)
- 69 generaliza\$.ab,ti. (60914)
- 70 generalisa\$.ab,ti. (6490)
- 71 concordance.ab,ti. (61699)
- 72 (intraclass and correlation\$).ab,ti. (35906)
- 73 discriminative.ab,ti. (26475)
- 74 "known group".ab,ti. (1637)
- 75 "factor analysis".ab,ti. (57721)
- 76 "factor analyses".ab,ti. (10197)
- 77 "factor structure".ab,ti. (17994)
- 78 "factor structures".ab,ti. (1389)

79 dimensionality.ab,ti. (18430)

80 subscale\$.ab,ti. (58753)

81 "multitrait scaling analysis".ab,ti. (92)

82 "multitrait scaling analyses".ab,ti. (24)

83 "item discriminant".ab,ti. (131)

84 "interscale correlation".ab,ti. (22)

85 "interscale correlations".ab,ti. (147)

86 ((error or errors) and (measure\$ or correlat\$ or evaluat\$ or accuracy or accurate or precision or mean)).ab,ti. (255133)

87 "individual variability".ab,ti. (11166)

88 "interval variability".ab,ti. (713)

89 "rate variability".ab,ti. (24272)

90 "variability analysis".ab,ti. (1563)

91 (uncertainty and (measurement or measuring)).ab,ti. (10723)

92 "standard error of measurement".ab,ti. (2805)

93 sensitiv\$.ab,ti. (1711225)

94 responsive\$.ab,ti. (283670)

95 (limit and detection).ab,ti. (124487)

96 "minimal detectable concentration".ab,ti. (86)

97 interpretab\$.ab,ti. (18624)

98 (small\$ and (real or detectable) and (change or difference)).ab,ti. (9859)

99 "meaningful change".ab,ti. (1640)

100 "minimal important change".ab,ti. (296)

101 "minimal important difference".ab,ti. (554)

102 "minimally important change".ab,ti. (110)

103 "minimally important difference".ab,ti. (468)

104 "minimal detectable change".ab,ti. (1815)

105 "minimal detectable difference".ab,ti. (138)

106 "minimally detectable change".ab,ti. (34)

107 "minimally detectable difference".ab,ti. (8)

108 "minimal real change".ab,ti. (0)

109 "minimal real difference".ab,ti. (4)  
110 "minimally real change".ab,ti. (0)  
111 "minimally real difference".ab,ti. (0)  
112 "ceiling effect".ab,ti. (2429)  
113 "floor effect".ab,ti. (858)  
114 "Item response model".ab,ti. (175)  
115 IRT.ab,ti. (4613)  
116 Rasch.ab,ti. (5685)  
117 "Differential item functioning".ab,ti. (2448)  
118 DIF.ab,ti. (3548)  
119 "computer adaptive testing".ab,ti. (265)  
120 "item bank".ab,ti. (835)  
121 "cross-cultural equivalence".ab,ti. (149)  
122 or/1-121 (5753747)  
123 addresses.pt. (0)  
124 biography.pt. (181537)  
125 "case reports".pt. (2391165)  
126 comment.pt. (1032856) Commentary  
127 directory.pt. (6644) Directories  
128 editorial.pt. (684976)  
129 festschrift.pt. (1697)  
130 interview.pt. (30927) Yes  
131 lectures.pt. (0)  
132 "legal cases".pt. (0)  
133 legislation.pt. (1675)  
134 letter.pt. (1246504) Yes  
135 news.pt. (223856)  
136 "newspaper article".pt. (18298)  
137 "patient education handout".pt. (5738)  
138 "popular works".pt. (0)  
139 congresses.pt. (0)

- 140 "consensus development conference".pt. (12374)
- 141 "consensus development conference, nih".pt. (801)
- 142 "practice guideline".pt. (31192) Practice guidelines
- 143 or/123-142 (4867384)
- 144 143 not (animals/ not humans/) (4740428)
- 145 122 not 144 (5539034)
- 146 Promis.ti,ab. (4112)
- 147 145 and 146 (1998)
- 148 limit 147 to yr=2004-2024 (1993)

**19 March 2024****N=4087**

Search Strategy:

- 
- 1 instrumentation.fs. (0)
  - 2 ValidDatabase: Embase Classic+Embase <1947 to 2024 March 18>  
ation Studies.pt. (0)
  - 3 "Reproducibility of Results"/ (217443)
  - 4 reproducib\$.ab,ti. (259400)
  - 5 Psychometrics/ (74860)
  - 6 psychometr\$.ab,ti. (76753)
  - 7 clinimetr\$.ab,ti. (2120)
  - 8 clinometr\$.ab,ti. (82)
  - 9 Observer Variation/ (21240)
  - 10 observer variation.ab,ti. (1914)
  - 11 Discriminant Analysis/ (29000)
  - 12 reliab\$.ab,ti. (820539)
  - 13 valid\$.ab,ti. (1470013)
  - 14 coefficient.ab,ti. (365719)
  - 15 "internal consistency".ab,ti. (47288)
  - 16 (cronbach\$ and (alpha or alphas)).ab,ti. (39907)
  - 17 "item correlation".ab,ti. (638)
  - 18 "item correlations".ab,ti. (712)
  - 19 "item selection".ab,ti. (909)
  - 20 "item selections".ab,ti. (26)
  - 21 "item reduction".ab,ti. (1291)
  - 22 "item reductions".ab,ti. (8)
  - 23 agreement.tw. (416126)

- 24 precision.tw. (244147)
- 25 imprecision.tw. (11228)
- 26 "precise values".tw. (311)
- 27 test-retest.ti,ab. (41511)
- 28 (test and retest).ti,ab. (43829)
- 29 (reliab\$ and (test or retest)).ti,ab. (162419)
- 30 stability.ab,ti. (675411)
- 31 interrater.ab,ti. (14155)
- 32 inter-rater.ab,ti. (20642)
- 33 intrarater.ab,ti. (3581)
- 34 intra-rater.ab,ti. (5058)
- 35 intertester.ab,ti. (379)
- 36 inter-tester.ab,ti. (281)
- 37 intratester.ab,ti. (302)
- 38 intra-tester.ab,ti. (213)
- 39 interobserver.ab,ti. (28890)
- 40 inter-observer.ab,ti. (16194)
- 41 intraobserver.ab,ti. (9898)
- 42 intra-observer.ab,ti. (7740)
- 43 intertechnician.ab,ti. (9)
- 44 inter-technician.ab,ti. (31)
- 45 intratechnician.ab,ti. (2)
- 46 intra-technician.ab,ti. (10)
- 47 interexaminer.ab,ti. (960)
- 48 inter-examiner.ab,ti. (1114)
- 49 intraexaminer.ab,ti. (513)
- 50 intra-examiner.ab,ti. (768)
- 51 interassay.ab,ti. (3811)
- 52 inter-assay.ab,ti. (7651)
- 53 intraassay.ab,ti. (1121)
- 54 intra-assay.ab,ti. (6034)



- 55 interindividual.ab,ti. (23698)
- 56 inter-individual.ab,ti. (19672)
- 57 intraindividual.ab,ti. (7947)
- 58 intra-individual.ab,ti. (8614)
- 59 interparticipant.ab,ti. (61)
- 60 inter-participant.ab,ti. (123)
- 61 intraparticipant.ab,ti. (41)
- 62 intra-participant.ab,ti. (82)
- 63 kappa.ab,ti. (141463)
- 64 kappa's.ab,ti. (1226)
- 65 kappas.ab,ti. (1226)
- 66 "coefficient of variation".ab,ti. (37443)
- 67 repeatab\$.tw. (57635)
- 68 ((replicab\$ or repeated) and (measure or measures or findings or result or results or test or tests)).tw. (377320)
- 69 generaliza\$.ab,ti. (70923)
- 70 generalisa\$.ab,ti. (8984)
- 71 concordance.ab,ti. (96532)
- 72 (intraclass and correlation\$.ab,ti. (43256)
- 73 discriminative.ab,ti. (33905)
- 74 "known group".ab,ti. (1944)
- 75 "factor analysis".ab,ti. (67154)
- 76 "factor analyses".ab,ti. (11225)
- 77 "factor structure".ab,ti. (19505)
- 78 "factor structures".ab,ti. (1553)
- 79 dimensionality.ab,ti. (19385)
- 80 subscale\$.ab,ti. (82080)
- 81 "multitrait scaling analysis".ab,ti. (96)
- 82 "multitrait scaling analyses".ab,ti. (23)
- 83 "item discriminant".ab,ti. (142)
- 84 "interscale correlation".ab,ti. (23)
- 85 "interscale correlations".ab,ti. (159)

- 86 ((error or errors) and (measure\$ or correlat\$ or evaluat\$ or accuracy or accurate or precision or mean)).ab,ti. (329398)
- 87 "individual variability".ab,ti. (15783)
- 88 "interval variability".ab,ti. (922)
- 89 "rate variability".ab,ti. (34006)
- 90 "variability analysis".ab,ti. (2078)
- 91 (uncertainty and (measurement or measuring)).ab,ti. (12264)
- 92 "standard error of measurement".ab,ti. (3295)
- 93 sensitiv\$.ab,ti. (2225342)
- 94 responsive\$.ab,ti. (350062)
- 95 (limit and detection).ab,ti. (143119)
- 96 "minimal detectable concentration".ab,ti. (111)
- 97 interpretab\$.ab,ti. (22625)
- 98 (small\$ and (real or detectable) and (change or difference)).ab,ti. (16448)
- 99 "meaningful change".ab,ti. (2863)
- 100 "minimal important change".ab,ti. (351)
- 101 "minimal important difference".ab,ti. (974)
- 102 "minimally important change".ab,ti. (157)
- 103 "minimally important difference".ab,ti. (1006)
- 104 "minimal detectable change".ab,ti. (2023)
- 105 "minimal detectable difference".ab,ti. (166)
- 106 "minimally detectable change".ab,ti. (44)
- 107 "minimally detectable difference".ab,ti. (18)
- 108 "minimal real change".ab,ti. (0)
- 109 "minimal real difference".ab,ti. (5)
- 110 "minimally real change".ab,ti. (0)
- 111 "minimally real difference".ab,ti. (0)
- 112 "ceiling effect".ab,ti. (3368)
- 113 "floor effect".ab,ti. (1179)
- 114 "Item response model".ab,ti. (167)
- 115 IRT.ab,ti. (5967)

- 116 Rasch.ab,ti. (6755)
- 117 "Differential item functioning".ab,ti. (2718)
- 118 DIF.ab,ti. (6371)
- 119 "computer adaptive testing".ab,ti. (382)
- 120 "item bank".ab,ti. (1147)
- 121 "cross-cultural equivalence".ab,ti. (167)
- 122 or/1-121 (6649017)
- 123 limit 122 to (books or editorial or letter) (32787)
- 124 123 not (animals/ not humans/) (32364)
- 125 122 not 124 (6616653)
- 126 Promis.ti,ab. (8502)
- 127 125 and 126 (4089)
- 128 limit 127 to yr=2004-2024 (4087)

19 March 2024

N=1049

S129 S128 Limiters - Publication Date: 20040101-20240331 Source: Academic Journals

Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 1,049

S129 S128 Limiters - Publication Date: 20040101-20240331

Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 1,083

S128 S126 AND S127 Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 1,083

S127 TI Promis OR AB Promis Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 2,137

S126 S119 NOT S125 Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 813,486

S125 S120 OR S121 OR S122 OR S123 OR S124 Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 421,964

S124 PT Practice guidelines Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 15,662

S123 PT interview Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 27,436

S122 PT directories Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 5,662

S121 PT commentary Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 356,929

S120 PT biography Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 17,055

S119 S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8 OR S9 OR S10 OR S11 OR S12 OR S13 OR S14 OR S15 OR S16 OR S17 OR S18 OR S19 OR S20 OR S21 OR S22 OR S23 OR S24 OR S25 OR S26 OR S27 OR S28 OR S29 OR S30 OR S31 OR S32 OR S33 OR S34 OR S35 OR S36 OR S37 OR S38 OR S39 OR S40 OR S41 OR S42 OR S43 OR S44 OR S45 OR S46 OR S47 OR S48 OR S49 OR S50 OR S51 OR S52 OR S53 OR S54 OR S55 OR S56 OR S57 OR S58 OR S59 OR S60 OR S61 OR S62 OR S63 OR S64 OR S65 OR S66 OR S67 OR S68 OR S69 OR S70 OR S71 OR S72 OR S73 OR S74 OR S75 OR S76 OR S77 OR S78 OR S79 OR S80 OR S81 OR S82 OR S83 OR S84 OR S85 OR S86 OR S87 OR S88 OR S89 OR S90 OR S91 OR S92 OR S93 OR S94 OR S95 OR S96 OR S97 OR S98 OR S99 OR S100 OR S101 OR S102 OR S103 OR S104 OR S105 OR S106 OR S107 OR S108 OR S109 OR S110 OR S111 OR S112 OR S113 OR S114 OR S115 OR S116 OR S117 OR S118 Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 824,648

S118 TI "cross-cultural equivalence" OR AB "cross-cultural equivalence" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 71

S117 TI "item bank" OR AB "item bank" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 494

S116 TI "computer adaptive testing" OR AB "computer adaptive testing" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 165

S115 TI DIF OR AB DIF Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 1,002

S114 TI "Differential item functioning" OR AB "Differential item functioning" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 1,383

S113 TI Rasch OR AB Rasch Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 2,976

S112 TI IRT OR AB IRT Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 1,311

S111 TI "Item response model" OR AB "Item response model" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 46

S110 TI "floor effect" OR AB "floor effect" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 360

S109 TI "ceiling effect" OR AB "ceiling effect" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 1,040

S108 TI "minimally real difference" OR AB "minimally real difference" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 0

S107 TI "minimally real change" OR AB "minimally real change" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 0

S106 TI "minimal real difference" OR AB "minimal real difference" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 5

S105 TI "minimal real change" OR AB "minimal real change" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 0

S104 TI "minimally detectable difference" OR AB "minimally detectable difference" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 1

S103 TI "minimally detectable change" OR AB "minimally detectable change" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 19

S102 TI "minimal detectable difference" OR AB "minimal detectable difference" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 69

S101 TI "minimal detectable change" OR AB "minimal detectable change" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 1,156

S100 TI "minimally important difference" OR AB "minimally important difference" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 201

S99 TI "minimally important change" OR AB "minimally important change" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 51

S98 TI "minimal important difference" OR AB "minimal important difference" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 211

S97 TI "minimal important change" OR AB "minimal important change" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 169

S96 TI "meaningful change" OR AB "meaningful change" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 835

S95 ( TI (small\* and (real or detectable) and (change or difference)) ) OR ( AB (small\* and (real or detectable) and (change or difference)) ) Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 3,144

S94 TI interpretab\* OR AB interpretab\* Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 2,993

S93 TI "minimal detectable concentration" OR AB "minimal detectable concentration" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 3

S92 TI (limit and detection) OR AB (limit and detection) Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 4,045

S91 TI responsive\* OR AB responsive\* Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 32,355

S90 TI sensitiv\* OR AB sensitiv\* Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 205,274

S89 TI "standard error of measurement" OR AB "standard error of measurement" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search



Database - CINAHL Plus with Full Text 1,493

S88 TI (uncertainty and (measurement or measuring)) OR AB (uncertainty and (measurement or measuring)) Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 1,506

S87 TI "variability analysis" OR AB "variability analysis" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 265

S86 TI "rate variability" OR AB "rate variability" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 6,422

S85 TI "interval variability" OR AB "interval variability" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 146

S84 TI "individual variability" OR AB "individual variability" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 1,839

S83 ( TI ((error or errors) and (measure\* or correlat\* or evaluat\* or accuracy or accurate or precision or mean)) ) OR ( AB ((error or errors) and (measure\* or correlat\* or evaluat\* or accuracy or accurate or precision or mean)) ) Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 42,969

S82 TI "interscale correlations" OR AB "interscale correlations" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 44

S81 TI "interscale correlation" OR AB "interscale correlation" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 8

S80 TI "item discriminant" OR AB "item discriminant" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 58

S79 TI "multitrait scaling analyses" OR AB "multitrait scaling analyses" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 7

S78 TI "multitrait scaling analysis" OR AB "multitrait scaling analysis" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 36

S77 TI subscale\* OR AB subscale\* Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 30,275

S76 TI dimensionality OR AB dimensionality Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 2,287

S75 TI "factor structures" OR AB "factor structures" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 640

S74 TI "factor structure" OR AB "factor structure" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 8,824

S73 TI "factor analyses" OR AB "factor analyses" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 4,843

S72 TI "factor analysis" OR AB "factor analysis" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 24,684

S71 TI "known group" OR AB "known group" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 723

S70 TI discriminative OR AB discriminative Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 4,465

S69 ( TI (intraclass and correlation\*) ) OR ( AB (intraclass and correlation\*) ) Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 14,817

S68 TI concordance OR AB concordance Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 14,259

S67 ( TI generaliza\* OR generalisa\* ) OR ( AB generaliza\* OR generalisa\* ) Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 16,760

S66 ( TI ((replicab\$ or repeated) and (measure or measures or findings or result or results or test or tests)) ) OR ( AB ((replicab\$ or repeated) and (measure or measures or findings or result or results or test or tests)) ) Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 54,149

S65 TI repeatab\* OR AB repeatab\* Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 4,948

S64 TI "coefficient of variation" OR AB "coefficient of variation" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 4,068

S63 TI kappas OR AB kappas Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 18,727

S62 TI kappa's OR AB kappa's Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 18,727

S61 TI kappa OR AB kappa Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 18,727

S60 TI intra-participant OR AB intra-participant Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 27

S59 TI intraparticipant OR AB intraparticipant Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 18

S58 TI inter-participant OR AB inter-participant Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 25

S57 TI interparticipant OR AB interparticipant Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 23

S56 TI intra-individual OR AB intra-individual Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 1,219

S55 TI intraindividual OR AB intraindividual Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 1,314

S54 TI inter-individual OR AB inter-individual Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 1,851

S53 TI interindividual OR AB interindividual Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 2,514

S52 TI intra-assay OR AB intra-assay Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 147

S51 TI intraassay OR AB intraassay Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 35

S50 TI inter-assay OR AB inter-assay Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 189

S49 TI interassay OR AB interassay Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 130

S48 TI intra-examiner OR AB intra-examiner Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 247

S47 TI intraexaminer OR AB intraexaminer Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 223

S46 TI inter-examiner OR AB inter-examiner Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 364

S45 TI interexaminer OR AB interexaminer Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 411

S44 TI intra-technician OR AB intra-technician Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 0

S43 TI intratechnician OR AB intratechnician Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 0

S42 TI intratechnician OR AB intratechnician Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 0

S41 TI inter-technician OR AB inter-technician Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 1

S40 TI intertechnician OR AB intertechnician Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 0

S39 TI intra-observer OR AB intra-observer Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 1,557

S38 TI intraobserver OR AB intraobserver Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 2,514

S37 TI inter-observer OR AB inter-observer Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 2,971

S36 TI interobserver OR AB interobserver Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 6,619

S35 TI intra-tester OR AB intra-tester Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 120

S34 TI intratester OR AB intratester Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 213

S33 TI inter-tester OR AB inter-tester Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 175

S32 TI intertester OR AB intertester Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 287

S31 TI intra-rater OR AB intra-rater Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 1,825

S30 TI intrarater OR AB intrarater Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 1,789

S29 TI inter-rater OR AB inter-rater Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 6,870

S28 TI interrater OR AB interrater Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases

Search Screen - Advanced Search

Database - CINAHL Plus with Full Text 5,773

S27 TI stability OR AB stability Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases  
 Search Screen - Advanced Search  
 Database - CINAHL Plus with Full Text 46,528

S26 ( TI (reliab\* and test) OR TI (reliab\* and retest) ) AND ( AB (reliab\* and test) OR AB (reliab\* and retest) ) Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases  
 Search Screen - Advanced Search  
 Database - CINAHL Plus with Full Text 2,423

S25 TI test-retest OR AB test-retest Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases  
 Search Screen - Advanced Search  
 Database - CINAHL Plus with Full Text 16,030

S24 TI "precise values" OR AB "precise values" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases  
 Search Screen - Advanced Search  
 Database - CINAHL Plus with Full Text 12

S23 TI imprecision OR AB imprecision Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases  
 Search Screen - Advanced Search  
 Database - CINAHL Plus with Full Text 1,198

S22 TI precision OR AB precision Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases  
 Search Screen - Advanced Search  
 Database - CINAHL Plus with Full Text 22,109

S21 TI agreement OR AB agreement Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases  
 Search Screen - Advanced Search  
 Database - CINAHL Plus with Full Text 58,321

S20 TI "item reductions" OR AB "item reductions" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases  
 Search Screen - Advanced Search  
 Database - CINAHL Plus with Full Text 3

S19 TI "item reduction" OR AB "item reduction" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases  
 Search Screen - Advanced Search  
 Database - CINAHL Plus with Full Text 417



S18 TI "item selections" OR AB "item selections" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases  
 Search Screen - Advanced Search  
 Database - CINAHL Plus with Full Text 8

S17 TI "item selection" OR AB "item selection" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases  
 Search Screen - Advanced Search  
 Database - CINAHL Plus with Full Text 335

S16 TI "item correlations" OR AB "item correlations" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases  
 Search Screen - Advanced Search  
 Database - CINAHL Plus with Full Text 281

S15 TI "item correlation" OR AB "item correlation" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases  
 Search Screen - Advanced Search  
 Database - CINAHL Plus with Full Text 265

S14 ( TI (cronbach\$ and (alpha or alphas)) ) OR ( AB (cronbach\$ and (alpha or alphas)) ) Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases  
 Search Screen - Advanced Search  
 Database - CINAHL Plus with Full Text 13,716

S13 TI "internal consistency" OR AB "internal consistency" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases  
 Search Screen - Advanced Search  
 Database - CINAHL Plus with Full Text 20,532

S12 TI coefficient OR AB coefficient Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases  
 Search Screen - Advanced Search  
 Database - CINAHL Plus with Full Text 70,133

S11 TI valid\* OR AB valid\* Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases  
 Search Screen - Advanced Search  
 Database - CINAHL Plus with Full Text 247,067

S10 TI reliab\* OR AB reliab\* Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases  
 Search Screen - Advanced Search  
 Database - CINAHL Plus with Full Text 139,783

S9 (MH "Discriminant Analysis") Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases  
 Search Screen - Advanced Search  
 Database - CINAHL Plus with Full Text 3,501

S8 TI "observer variation" OR AB "observer variation" Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases  
 Search Screen - Advanced Search  
 Database - CINAHL Plus with Full Text 204

S7 TI clinometr\* OR AB clinometr\* Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases  
 Search Screen - Advanced Search  
 Database - CINAHL Plus with Full Text 21

S6 TI clinimetr\* OR AB clinimetr\* Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases  
 Search Screen - Advanced Search  
 Database - CINAHL Plus with Full Text 770

S5 TI psychometr\* OR AB psychometr\* Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases  
 Search Screen - Advanced Search  
 Database - CINAHL Plus with Full Text 31,982

S4 (MH "Psychometrics") Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases  
 Search Screen - Advanced Search  
 Database - CINAHL Plus with Full Text 35,380

S3 TI reproducib\* OR AB reproducib\* Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases  
 Search Screen - Advanced Search  
 Database - CINAHL Plus with Full Text 20,876

S2 (MH "Reproducibility of Results") Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases  
 Search Screen - Advanced Search  
 Database - CINAHL Plus with Full Text 71,930

S1 PT validation studies Search modes - Boolean/Phrase Interface - EBSCOhost Research Databases  
 Search Screen - Advanced Search  
 Database - CINAHL Plus with Full Text 0